




SIMONS SMART

SMART LIGHTING IS AN ADVANCED WAY TO LIGHT YOUR HOME. SIMONS SMART LIGHTING CAN SUPPLY THE BEST QUALITY SMART LIGHTS FOR YOU. FOLLOW US TO BE THE SMART COMPANY.

SIMONS S M A R T L I G H T I N G





SMART LIGHTING IS AN ADVANCED WAY TO LIGHT YOUR HOME. SIMONS SMART LIGHTING CAN SUPPLY THE BEST QUALITY SMART LIGHTS FOR YOU. FOLLOW US TO BE THE SMART COMPANY.





Simons' Smart Lighting for you to built a smart home.

Smart lighting is an advanced way to light your home. Smart LED Lights contain software that connects to an app, smart home assistant, or other smart accessory so you can automate your lights or control them remotely, eliminating the need for traditional wall switches. A smart LED lights kit from us has everything you need for a wireless, smart lighting system at home. And you can use one app to control few lights togther. Simons smart light can be customized.




Smart Light Function

I. CCT changeable, enjoy the warm life of light







Spring (Mid CCT)

Bright white light to feel the fresh Spring



The warm sunlight is like the joy of autumn harvest



The cold white light is like a refreshing breeze when you open the freezer



The golden light exudes the warmth of a fireplace in winter

www.simonsled.com SIMONS SMART LIGHT

2. Wake up, light brings us healthy life

At dawn

Intimate wake up

The soft sunlight accompanies you to welcome the new day

In the dark

Warm companion


The warm light will accompany you into a sweet dream



The low-illuminance indirect lighting environment can effectively maintain the sleepiness of the elderly, while the high color temperature lighting source and complex switch control are not conducive to falling asleep again



3.Biorhythm, return to nature's ecological light environment



4. Colourful lighting, give you wonderful life








Create ambient lighting that moves with your heart, match your mood, let you have more rich, more wonderful experience.

5. Dancing with music, exclusive stage for you



www.simonsled.com SIMONS SMART LIGHT

6. Automatic random lighting, smart lights guard our home





9:00am~5:pm Housekeeping during working hours




6:00am~10:pm Housekeeping during vacation






7. Convenience voice control, help you become a conductor of lights









Several control ways















Multi Communication Protocol Ways

- Wifi
- Zigbee
- Bluetooth (Bluetooth mesh)

The feature of our smart commercial light


- I. Support group control, free combination on demand
- 2. Communication protocol Wifi+BLUE
- 3. Optional to turn on white light and colourful light together
- 4. Optional to the function of wake up and biorhythm
- 5. Optional to don't disturb mode, cycle timing and random timing
- 6. Optional to be controlled by third-party smart speaker (Echo/ Google Home)
- 7. 1%~100% dimming
- 8. Easy to be installed and distribution network
- 9. Optional to be controlled by remote controller, phone, voice, wall switch
- 10. Optional to be connected with Amazon Alexa / Google Assistant / IFTT

www.simonsled.com SIMONS SMART LIGHT



BLUETOOTH DOWNLIGHT

It can be connected with app through bluetooth signal without WIFI one by one.
And also allow many-to-many devices.
Connect your smart bluetooth devices to each other forming a mesh network that extend your wireless signal range



BLUETOOTH MESH LINKABLE

DL03-03-CW-BL







- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Lumen efficiency can up to 100lm/w
- 3. Ontrol the light anywhere via App or voce control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. CCT can be customized for you need.
- 7. Add a bluetooth mesh gatway if you want to control by voice, control from a remote location, set up scheduling or use IFTTT and other features. If you only want to control them in short distance by app, you can use them without WIFI just only bluetooth.



3000K-5000K

1	110mm.
	90mm
70mm	

MODEL NO.	POWER
DL01-03-05-CW-BL	5W
DL01-03-08-CW-BL	8W
DL01-03-10-CW-BL	10W





Description 🕮 🚳 🥯 C € RoHS

- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Lumen efficiency can up to 100lm/w
- 3. Ontrol the light anywhere via App or voce control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. CCT can be customized for you need.
- 7. Add a bluetooth mesh gatway if you want to control by voice, control from a remote location, set up scheduling or use IFTTT and other features. If you only want to control them in short distance by app, you can use them without WIFI just only bluetooth.



8	13	
/		40mr
10	08mm	

MODEL NO.	POWER
DL03-03-08-CW-BL	8W
DL03-03-10-CW-BL	10W
DL03-03-12-CW-BL	12W








WIFI LIGHTING

Control your home and your office with only one app wherever you are to achieve energy efficiency.

-----Residencial and Commercial Used




DL01-03-CW-WF





- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Lumen efficiency can up to 100lm/w
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



MODEL NO.	POWER
DL01-03-05-CW-WF	5W
DL01-03-08-CW-WF	8W
DL01-03-10-CW-WF	10W





DL01-03-RGBCW-WF



Description (CE) RoHS

- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Lumen efficiency can up to 100lm/w
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



	90mm
70mm	

MODEL NO.	POWER
DL01-03-05-RGBCW-WF	5W
DL01-03-08-RGBCW-WF	8W
DL01-03-10-RGBCW-WF	10W



DL02-03-CW-WF



3000K-5000K












- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Gimbal fascia design and be used on some special area
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



MODEL NO.	POWER
DL02-03-05-CW-WF	5W
DL02-03-08-CW-WF	8W
DL02-03-10-CW-WF	10W





DL02-03-RGBCW-WF





- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Gimbal fascia design and be used on some special area
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.




9	90mm	
	- E	
		$\overline{}$
7		1
		90mm

MODEL NO.	POWER
DL02-03-05-RGBCW-WF	5W
DL02-03-08-RGBCW-WF	8W
DL02-03-10-RGBCW-WF	10W




DL03-03-CW-WF





- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. A metal fascia can be assembled on the light, black, silver, satin chrome, nickel are all optional here.
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.




MODEL NO.	POWER
DL03-03-08-CW-WF	8W
DL03-03-10-CW-WF	10W
DL03-03-12-CW-WF	12W





DL03-03-RGBCW-WF



Description (CE) RoHS

- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. A metal fascia can be assembled on the light, black, silver, satin chrome, nickel are all optional here.
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



/		1	40mr
μ			
1			
•	108mm	-	

MODEL NO.	POWER
DL03-03-08-RGBCW-WF	8W
DL03-03-10-RGBCW-WF	10W
DL03-03-12-RGBCW-WF	12W



DL04-03-CW-WF



CCT

3000K-5000K





- 1. Die-casting aluminum material, excellent heat-dissipation, IC-4 Rated
- 2. Lumen efficiency can up to 100lm/w
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.






MODEL NO.	POWER
DL04-03-10-CW-WF	10W
DL04-03-12-CW-WF	12W



DL04-03-RGBCW-WF





- 1. Die-casting aluminum material, excellent heat-dissipation, IC-4 Rated
- 2. Lumen efficiency can up to 100lm/w
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.

6. Control the light wherever you are as long as it has network.

- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



8		1	30mm
Ш_			
	114mm		

MODEL NO.	POWER
DL04-03-10-RGBCW-WF	10W
DL04-03-12-RGBCW-WF	12W



DL10-03-CW-WF







3000K-5000K












- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. UGR<19, lumens efficiency can be up to 100lm/w.
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



MODEL NO.	POWER
DL10-03-08-CW-WF	8W
DL10-03-09-CW-WF	9W
DL10-03-10-CW-WF	10W





DL10-03-RGBCW-WF







CCT

3000K-5000K










- 2. UGR<19, lumens efficiency can be up to 100lm/w.
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation. 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.






MODEL NO.	POWER
DL10-03-08-RGBCW-WF	8W
DL10-03-09-RGBCW-WF	9W
DL10-03-10-RGBCW-WF	10W



SIMONS SMART LIGHT

DL12-03-CW-WF



ССТ

3000K-5000K












- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Lumens efficiency can be up to 100lm/w.
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.





MODEL NO.	POWER
DL12-03-08-CW-WF	8W
DL12-03-10-CW-WF	10W



DL12-03-RGBCW-WF



Description 🙆 🕮 🕻 E RoHS 🧔

- 1. Materials: Plastic + Aluminum, IC-4 Rated
- 2. Lumens efficiency can be up to 100lm/w.
- 3. Ontrol the light anywhere via App or voice control
- 4. Tuneable CCT, dim from warm white to daylight
- 5. 90mm cut-out, perfect for new or retrofit installation.
- 6. Control the light wherever you are as long as it has network.
- 7. Connect multi-lights on the same devices. Either can control these lights together, or operate the lights separatly.
- 8. Amount of devices is limited to your WI-FI rounter.



	ф.	64 mm
107·mm		

MODEL NO.	POWER
DL12-03-08-RGBCW-WF	8W
DL12-03-10-RGBCW-WF	10W

